



Achieve authentic character and  
**UNCOMPROMISING PERFORMANCE.**

Unique Formulation

Finishing Technology

100% HARDIE  
Complete Exterior™

The James Hardie  
Difference

Warranty

Endorsements



It's time to  
**BUILD SOMETHING TIMELESS.**

Installed on over 5.5 million homes from coast to coast, James Hardie® fiber cement siding products are designed to resist the most extreme conditions while romancing the senses. Enjoy the warm, natural character of wood with unprecedented peace of mind. It's easy to see what makes James Hardie the market leader.

**UNIQUE FORMULATION**

We use the highest quality raw materials and proprietary additives for enhanced strength and moisture protection.

**FINISHING TECHNOLOGY**

Baked-on color delivers a beautiful finish that resists fading and makes a lasting impression.

**COMPLETE EXTERIOR™**

Offers homeowners an unrivaled collection of design options with exceptional warranties through a single, trusted manufacturer.

● HardieZone® System

HZ5® Substrate

# HardieZone® System

Only James Hardie fiber cement products are Engineered for Climate®. In the northern U.S. and Canada, HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10® products help protect homes from hot, humid conditions, blistering sun and more.

With James Hardie siding and trim, homeowners have an exterior that's tougher than the elements and easy on the eyes.

## NO MATTER WHAT NATURE BRINGS



Unique Formulation

Finishing Technology

100% HARDIE Complete Exterior™

The James Hardie Difference

Warranty

Endorsements

● HardieZone® System

HZ5® Substrate



HardieShingle®  
7 in. Straight  
Edge Panel  
Timber Bark

HardieTrim®  
5/4 x 3.5 in.  
Timber Bark

HardiePlank®  
6.25 in. Select  
Cedarmill®  
Khaki Brown

### TOUGHER THAN THE ELEMENTS



Stands up to storms and harsh weather



Water resistant to protect against swelling, warping and cracking; also resists mold damage



Won't be eaten by animals or insects



Fire resistant



Helps reduce time and money spent on maintenance

Resist the elements  
**WITH IRRESISTIBLE CHARM.**

HardieZone® System

● HZ5® Substrate

## Unique Formulation HZ5® Substrate


Not all fiber cement is the same. The James Hardie HZ5 product formulation contains the highest quality raw materials. Proprietary additives, combined with an innovative manufacturing process and product design, create a substrate specifically engineered to reduce water absorption and resist damage from wet or freezing conditions.

### PROPRIETARY ENHANCEMENTS CREATE THE MOST DURABLE JAMES HARDIE® SIDING EVER MADE



#### Perfect balance of strength and workability

Our balance of high-quality Portland cement, sand and cellulose fiber delivers the best combination of strength and workability.



#### Enhanced moisture resistance for unmatched durability

Patented and proprietary additives are chemically bonded within the HZ5 substrate matrix to provide durable moisture resistance.



#### Increased dimensional stability

Our siding is engineered at the microscopic level to create a fiber cement composite with superior dimensional stability that helps protect against shrinking and splitting.

Unique Formulation

Finishing Technology

100% HARDIE Complete Exterior™

The James Hardie Difference

Warranty

Endorsements

HardieZone® System

● HZ5® Substrate



HardiePlank®  
6.25 in. Smooth  
Boothbay Blue

HardieTrim®  
5/4 x 5.5 in.  
Arctic White

The advanced design of HZ5 lap siding improves drainage from top to bottom. In addition to our product formulation's enhanced moisture resistance, HardiePlank® HZ5 lap siding features a modified profile with a sloped top and bullnose drip edge for improved drainage over the entire outer face of the board.



**Sloped Top**

Positive slope at top drains moisture to outer face of lap



**Profiled Drip Edge**

Bottom bullnose drip edge allows moisture to drain away from lap


Integrity is ingrained  
**IN EVERYTHING WE DO.**

## Finishing Technology

### ColorPlus® Technology

Our advanced ColorPlus® Technology finishes deliver the ultimate in aesthetics and performance to your job site. Our products aren't simply painted at the factory. Multiple coats of color are baked onto the board, creating a vibrant, consistent finish for years of lasting character, adhesion and fade resistance.

GIVES HOMES A **BEAUTIFUL, CONSISTENT COATING** THAT PERFORMS BETTER, LASTS LONGER AND LOOKS BRIGHTER




#### Superior finish adhesion

Our proprietary coating is engineered for superior adhesion to our substrate and applied to all surfaces, edges and features for durable performance.



#### Superior color retention

Finish is cured onto boards after each coating step for a stronger bond, which allows for exceptional resistance to cracking, peeling and chipping.



#### Superior UV resistance

Multi-coat, baked-on finish retains its vibrancy longer when compared to vinyl siding and paint on other siding products in all UV conditions.

Unique Formulation

Finishing Technology

100% HARDIE Complete Exterior™

The James Hardie Difference

Warranty

Endorsements

**ColorPlus®**  
Technology

**Our finishes help eliminate stress and reduce costly weather delays** when it's too cold or damp to paint for extended periods. And there's no reason to question whether or not sub-optimal painting conditions will negatively affect your paint job. In fact, there's no longer any need to paint on-site during installation.

ColorPlus Technology finishes are fully cured in a controlled environment and arrive on your job site ready for year-round installation.



For timeless beauty  
**BEGIN WITH THE FINISH.**



Unique Formulation

Finishing Technology

100% HARDIE Complete Exterior™

The James Hardie Difference

Warranty

Endorsements

# 100% HARDIE Complete Exterior™

Top to bottom, our exterior product line is defined by excellent performance, aesthetics and design options.

Provide protection from the elements, showcase a homeowner's individual style and install peace of mind with exceptional warranties through a single, trusted manufacturer.



Your homes mean everything  
***BUILD 100% HARDIE™***

Unique Formulation

Finishing Technology

100% HARDIE Complete Exterior™

The James Hardie Difference

Warranty

Endorsements



HardieTrim®  
5/4 x 3.5 in.  
Arctic White

HardiePlank®  
7.25 in. Select  
Cedarmill®  
Timber Bark

See the James Hardie Difference



James Hardie invented fiber cement. Over 5.5 million installations later, we continue to set the standard in premium, high-performance exterior cladding. Our products deliver uncompromising durability and finish quality for a beautiful, lower maintenance exterior.

Our unrivaled investment in R&D and constant innovations in product design, manufacturing and distribution allow us to remain steps ahead of the competition. With the support of our people, partners and exceptional warranties, we're committed to protecting your customers' homes while helping your business grow.

As unforgettable  
**AS IT IS UNCOMPROMISING.**

Unique Formulation

Finishing Technology

100% HARDIE Complete Exterior™

The James Hardie Difference

Warranty

Endorsements



## Warranty

James Hardie Non-Prorated Siding Warranty Coverage



Protect your home with North America's #1 brand of siding backed by exceptional warranties. Unlike other brands, James Hardie doesn't prorate our siding warranty coverage. We stand behind our siding 100% for 30 years.

ColorPlus Technology finishes and HardieTrim boards come with 15-year limited warranties.

Make every home  
**AN EXPRESSION OF YOUR CHARACTER.**

## Endorsements – a reputation built on trust

For decades, our fiber cement products have been used to create better places to live. Each new home stands as a testament to our uncompromising quality. That proven track record has earned the loyalty of millions of homeowners and the endorsements of trusted authorities across the building industry.\*

BRAND LEADER  
**Builder**  
WINNER SINCE 2009

Chosen by builders as a **Brand Leader**  
in **Builder Magazine** since 2009



Featured on the **DIY Network's**  
**Blog Cabin** since 2012



**#1 Return on Investment every year**  
since 2005 in **Remodeling Magazine\*\***



**HardiePlank lap siding** is backed  
by the **Good Housekeeping Seal**

\*Endorsements are accurate as of 2015.

\*\*Remodeling magazine's 'Cost vs. Value Report' states that re-siding a home with fiber cement siding provides the #1 return on investment for projects in the upscale category.

# HardiePlank®

Sleek and strong, HardiePlank® lap siding is not just our best-selling product – it's the most popular brand of siding in America.

With a full spectrum of colors and textures, homeowners can enjoy protection from the elements and the versatility to make their dream home a reality. From Victorians to Colonials, HardiePlank lap siding sets the standard in exterior cladding.

HardieTrim®  
5/4 x 3.5 in.  
Arctic White

HardiePlank®  
6.25 in. Smooth  
Arctic White

A classic look for  
**THE HOME OF THEIR DREAMS.**

● HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding


**SELECT CEDARMILL®**

*Khaki Brown*



**SMOOTH**

*Countrylane Red*



**BEADED CEDARMILL®\***

*Light Mist*



**BEADED SMOOTH\***

*Heathered Moss*



Products are available primed or with ColorPlus Technology finishes. For more details, visit [jameshardie.com](http://jameshardie.com)



**SELECT CEDARMILL®**


*Khaki Brown*

<b>Thickness</b>	5/16 in.			
<b>Length</b>	12 ft. planks			
<b>Width</b>	5.25 in.	6.25 in.	7.25 in.	8.25 in.
<b>Exposure</b>	4 in.	5 in.	6 in.	7 in.
<b>ColorPlus Pcs./Pallet</b>	324	280	252	210
<b>Prime Pcs./Pallet</b>	360	308	252	230
<b>Pcs./Sq.</b>	25.0	20.0	16.7	14.3

**Available Colors**



[View all HardiePlank Lap Siding Products](#)



**SMOOTH**

*Countrylane Red*

Thickness	5/16 in.			
Length	12 ft. planks			
Width	5.25 in.	6.25 in.	7.25 in.	8.25 in.
Exposure	4 in.	5 in.	6 in.	7 in.
ColorPlus Pcs./Pallet	324	280	252	210
Prime Pcs./Pallet	360	308	252	230
Pcs./Sq.	25.0	20.0	16.7	14.3

Available Colors



[View all HardiePlank Lap Siding Products](#)





**BEADED CEDARMILL®\***

*Light Mist*

Thickness	5/16 in.
Length	12 ft. planks
Width	8.25 in.
Exposure	7 in.
ColorPlus Pcs./Pallet	210
Prime Pcs./Pallet	240
Pcs./Sq.	14.3

Available Colors



[View all HardiePlank Lap Siding Products](#)

\*Beaded Cedarmill® is available exclusively with ColorPlus Technology in Pittsburgh, Philadelphia and New England districts.



**BEADED SMOOTH\***

*Heathered Moss*

Thickness	5/16 in.
Length	12 ft. planks
Width	8.25 in.
Exposure	7 in.
ColorPlus Pcs./Pallet	210
Prime Pcs./Pallet	240
Pcs./Sq.	14.3

Available Colors



[View all HardiePlank Lap Siding Products](#)

\*Beaded Smooth® is available exclusively with ColorPlus Technology in Pittsburgh, Philadelphia and New England districts.

Siding

Trim

Soffit

HardieWrap®

Finishing Touches

HardiePlank® Lap Siding

● HardiePanel® Vertical Siding

HardieShingle® Siding

## HardiePanel®

HardiePanel® vertical siding delivers style and substance. When combined with HardieTrim® boards, it achieves the rustic board-and-batten look that defines cottage charm. The covered seams contribute to a well-insulated home.

Its crisp, clean lines make HardiePanel vertical siding a smart choice for strong, contemporary designs.



True to the tradition of  
**PERFORMANCE AND BEAUTY.**

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding

**SELECT CEDARMILL®**

*Navajo Beige*



**SMOOTH**

*Evening Blue*



**STUCCO**

*Navajo Beige*



**SIERRA 8**

*Not available with ColorPlus Technology*



Products are available primed or with ColorPlus Technology finishes. For more details, visit [jameshardie.com](http://jameshardie.com)

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding



**SELECT CEDARMILL®**

*Navajo Beige*

<b>Thickness</b>	5/16 in.		
<b>Size</b>	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
<b>Pcs./Pallet</b>	50	50	50
<b>Pcs./Sq.</b>	3.2	2.8	2.5

Available Colors



[View all HardiePanel Vertical Siding Products](#)

\*4 ft. x 9 ft. HardiePanel vertical siding only available primed and exclusively in DC/Baltimore and Virginia districts.

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding



**SMOOTH**

*Evening Blue*

<b>Thickness</b>	5/16 in.		
<b>Size</b>	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
<b>Pcs./Pallet</b>	50	50	50
<b>Pcs./Sq.</b>	3.2	2.8	2.5

Available Colors



[View all HardiePanel Vertical Siding Products](#)

\*4 ft. x 9 ft. HardiePanel vertical siding only available primed and exclusively in DC/Baltimore and Virginia districts.

HardiePlank® Lap Siding

● HardiePanel® Vertical Siding

HardieShingle® Siding



**STUCCO**

*Navajo Beige*

<b>Thickness</b>	5/16 in.		
<b>Size</b>	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
<b>Pcs./Pallet</b>	50	50	50
<b>Pcs./Sq.</b>	3.2	2.8	2.5

Available Colors



[View all HardiePanel Vertical Siding Products](#)

\*4 ft. x 9 ft. HardiePanel vertical siding only available primed and exclusively in DC/Baltimore and Virginia districts.

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding



**SIERRA 8**

*Not available with ColorPlus Technology*

<b>Thickness</b>	5/16 in.		
<b>Size</b>	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
<b>Pcs./Pallet</b>	50	50	50
<b>Pcs./Sq.</b>	3.2	2.8	2.5

[View all HardiePanel Vertical Siding Products](#)


\*4 ft. x 9 ft. HardiePanel vertical siding only available primed and exclusively in DC/Baltimore and Virginia districts.



# HardieShingle®

Restore the look of a grand Cape Cod or add distinction to a handsome bungalow. HardieShingle® siding embodies the enchanting look of cedar shingles with lower maintenance.

Better than the real thing, HardieShingle siding resists rotting, curling, warping and splitting.



Achieve the handcrafted  
**LOOK OF CEDAR.**

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding

**STAGGERED EDGE PANEL**

*Sandstone Beige*



**STRAIGHT EDGE PANEL\***

*Iron Gray*



**HALF ROUNDS**

*Not available with ColorPlus Technology*



**INDIVIDUAL SHINGLES\***

*Monterey Taupe*



\*5 in. Straight Edge Panel and 5 in. Individual Shingles available exclusively with ColorPlus Technology and only in Philadelphia and New England districts. Products are available primed or with ColorPlus Technology finishes. For more details, visit [jameshardie.com](http://jameshardie.com)

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

● HardieShingle® Siding



**STAGGERED EDGE PANEL**

*Sandstone Beige*

Thickness	1/4 in.
Length	48 in.
Height	15.25 in.
Exposure	6 in.
Pcs./Pallet	100
Sq./Pallet	2
Pcs./Sq.	50

Available Colors



[View all HardieShingle Siding Products](#)

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

● HardieShingle® Siding



**STRAIGHT EDGE PANEL\***

*Iron Gray*

<b>Thickness</b>	1/4 in.	1/4 in.
<b>Length</b>	48 in.	48 in.
<b>Height</b>	14 in.	15.25 in.
<b>Exposure</b>	5 in.	7 in.
<b>Pcs./Pallet</b>	120	86
<b>Sq./Pallet</b>	2	2
<b>Pcs./Sq.</b>	60	43

Available Colors



[View all HardieShingle Siding Products](#)

\*5 in. Straight Edge Panel available exclusively with ColorPlus Technology and only in Philadelphia and New England districts.

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

HardieShingle® Siding



**HALF ROUNDS**

*Not available with ColorPlus Technology*

Thickness	1/4 in.
Length	48 in.
Height	15.25 in.
Exposure	7 in.
Pcs./Pallet	86
Sq./Pallet	2
Pcs./Sq.	43

[View all HardieShingle Siding Products](#)

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

● HardieShingle® Siding



**INDIVIDUAL SHINGLES\***

*Monterey Taupe*

Thickness	1/4 in.
Length	3.5 in. 4.5 in. 5.5 in. 7 in. 8.75 in.
Height	14 in.
Exposure	5 in.
Pcs./Pallet	960
Sq./Pallet	2
Pcs./Sq.	480

Available Colors



[View all HardieShingle Siding Products](#)

\*5 in. Individual Shingles available exclusively with ColorPlus Technology and only in Philadelphia and New England districts.

# HardieTrim®

Form meets function at every angle with HardieTrim® boards. With an authentic look, HardieTrim boards provide design flexibility for columns, friezes, doors, windows and other accent areas.

Better than wood, it will complement your long-lasting, lower maintenance James Hardie siding – adding punctuation to your design statement.

HardieTrim®  
5/4 x 3.5 in.  
Khaki Brown

HardiePlank®  
6.25 in. Smooth  
Navajo Beige


The performance you require  
**THE DISTINCTIVENESS YOU DESIRE.**

● HardieTrim® Boards

HardieTrim® Batten Boards

**4/4 NT3® SMOOTH**

*Arctic White*



**5/4 NT3® SMOOTH**

*Arctic White*



**CROWN MOULDING**

*Arctic White*




HardieTrim Boards are available primed or with ColorPlus Technology in DC/Baltimore and Virginia districts. For other districts, HardieTrim Boards are exclusively available with ColorPlus Technology. HardieTrim Crown Mouldings are available exclusively in ColorPlus Technology. For more details, visit [jameshardie.com](http://jameshardie.com)



● HardieTrim® Boards

HardieTrim® Batten Boards



**4/4 NT3® SMOOTH**

*Arctic White*

<b>Thickness</b>	.75 in.				
<b>Length</b>	12 ft. boards				
<b>Width</b>	3.5 in.	5.5 in.	7.25 in.	9.25 in.	11.25 in.
<b>Pcs./Pallet</b>	312	208	156	104	104

Available Colors



[View all HardieTrim Boards](#)

● HardieTrim® Boards

HardieTrim® Batten Boards



**5/4 NT3® SMOOTH**

*Arctic White*

<b>Thickness</b>	1 in.					
<b>Length</b>	12 ft. boards					
<b>Width</b>	3.5 in.	4.5 in.	5.5 in.	7.25 in.	9.25 in.	11.25 in.
<b>Pcs./Pallet</b>	240	200	160	120	80	80

Available Colors



[View all HardieTrim Boards](#)

● HardieTrim® Boards

HardieTrim® Batten Boards



**CROWN MOULDING**

*Arctic White*

<b>Thickness</b>	.75 in.
<b>Length</b>	12 ft. boards
<b>Width</b>	3.25 in. 5.25 in.
<b>Pcs./Pallet</b>	50 48

Available Colors



[View all HardieTrim Boards](#)

HardieTrim® Boards

HardieTrim® Batten Boards


**RUSTIC GRAIN®**

*Arctic White*



**SMOOTH**

*Arctic White*



HardieTrim Batten Boards are available primed or with ColorPlus Technology. For more details, visit [jameshardie.com](http://jameshardie.com)

HardieTrim® Boards

● HardieTrim® Batten Boards



**RUSTIC GRAIN®**

*Arctic White*

**Thickness** .75 in.  
**Length** 12 ft. boards  
**Width** 2.5 in.  
**Pcs./Pallet** 437


Available Colors



[View all HardieTrim Batten Boards](#)

HardieTrim® Boards

● HardieTrim® Batten Boards



**SMOOTH**

*Arctic White*

**Thickness** .75 in.

**Length** 12 ft. boards

**Width** 2.5 in.

**Pcs./Pallet** 437

Available Colors



[View all HardieTrim Batten Boards](#)

# HardieSoffit®

A home is only as strong as its weakest point. HardieSoffit® panels reinforce your work by protecting the vulnerable gap between eaves and exterior walls.

Available in vented, non-vented and a range of pre-cut sizes, these panels complete your design and protect it from moisture and pests.



HardieSoffit®  
16 in. Vented  
Smooth  
Arctic White

For complete confidence  
**EVERY DETAIL MATTERS.**

## VENTILATION BENEFITS

Using vented soffit improves ventilation in the attic space and reduces the chance of water vapor condensation that can lead to issues such as mold and mildew growth, stained ceilings and damage to the framing of the house.

In warm climates, HardieSoffit panels allow hot, humid air to escape, which not only helps prevent condensation in the attic, but can also help reduce air conditioning costs.

In cool climates, HardieSoffit panels help prevent condensation from forming on the interior side of the roof sheathing and reduce the chances of roof-damaging ice dams.

\*\*\*Linear Feet of Vented Soffit calculation is based on 2012 International Residential Code (IRC) Section 806.2, Exception 2, with a 50% upper attic and 50% lower attic split of required ventilation, using soffit with a net free ventilation of 5 square inches per linear foot. This Exception is also approved in 2015 IRC Section 806.2. Always consult a building design professional to confirm attic ventilation meets local building code requirements.


Using the proper amount of vented HardieSoffit panels is crucial to a building's ventilation performance. James Hardie has taken the guess work out of soffit ventilation by providing the table below illustrating the minimum amount of vented HardieSoffit panels recommended for your attic space.\*\*\*

ATTIC SQ. FT.	LINEAR FT. OF VENTED SOFFIT	ATTIC SQ. FT.	LINEAR FT. OF VENTED SOFFIT
200	10	1700	82
300	14	1800	86
400	19	1900	91
500	24	2000	96
600	29	2100	101
700	34	2200	106
800	38	2300	110
900	43	2400	115
1000	48	2500	120
1100	53	2600	125
1200	58	2700	130
1300	62	2800	134
1400	67	2900	139
1500	72	3000	144
1600	77	3100	149



**VENTED SMOOTH**

*Sail Cloth*




**VENTED CEDARMILL®\***

*Sail Cloth*



**NON-VENTED SMOOTH**

*Sail Cloth*




**NON-VENTED CEDARMILL®\***

*Sail Cloth*




**BEADED PORCH PANEL**

*Available exclusively in Arctic White*



\*Vented CedarMill® and Non-Vented CedarMill® are available exclusively with ColorPlus Technology in Philadelphia and New England districts. Products are available primed or with ColorPlus Technology finishes. For more details, visit [jameshardie.com](http://jameshardie.com)



### VENTED SMOOTH

*Sail Cloth*

Thickness	1/4 in.		
Length	12 ft.	12 ft.	8 ft.
Width	12 in.	16 in.	24 in.
ColorPlus Pcs./Pallet	216	156	108
Prime Pcs./Pallet	200	150	100

#### Available Colors



[View all HardieSoffit Products](#)



**VENTED CEDARMILL®\***

*Sail Cloth*


<b>Thickness</b>	1/4 in.		
<b>Length</b>	12 ft.	12 ft.	8 ft.
<b>Width</b>	12 in.	16 in.	24 in.
<b>ColorPlus Pcs./Pallet</b>	216	156	108
<b>Prime Pcs./Pallet</b>	200	150	100

**Available Colors**



[View all HardieSoffit Products](#)

\*Vented Cedarmill® is available exclusively with ColorPlus Technology in Philadelphia and New England districts.



**NON-VENTED SMOOTH**

*Sail Cloth*


Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.**
Width	12 in.	16 in.	24 in.	48 in.
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	50

Available Colors



[View all HardieSoffit Products](#)

\*\*These 48 in. x 8 ft. panels only available primed.



**NON-VENTED CEDARMILL®\***

*Sail Cloth*

Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.**
Width	12 in.	16 in.	24 in.	48 in.
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	50


Available Colors



[View all HardieSoffit Products](#)

\*Non-Vented Cedarmill® is available exclusively with ColorPlus Technology in Philadelphia and New England districts.

\*\*These 48 in. x 8 ft. panels only available primed.



**BEADED PORCH PANEL**

*Available exclusively in Arctic White*

Thickness	1/4 in.
Length	8 ft.
Width	48 in.
Pcs./Pallet	50

[View all HardieSoffit Products](#)

# HardieWrap®

No exterior cladding can prevent 100% of water intrusion. Your homes should have an additional line of defense. HardieWrap® weather barrier provides a superior balance of water resistance and breathability, keeping the area within the wall drier. This helps prevent moisture accumulation that may lead to mold and mildew growth.

## INSTALLATION ADVANTAGES

- Thicker, more durable material for easier, quicker installation
- Superior tear resistance helps prevent water infiltration
- Can be installed with staples in place of cap nails for cost savings
- Provides a higher level of performance, no matter what type of cladding you specify



We've got performance covered  
**FROM THE INSIDE OUT.**

### WEATHER BARRIER

Thickness	11 mil.			
Length	100 ft.	100 ft.	150 ft.	150 ft.
Width	3 ft.	9 ft.	9 ft.	10 ft.

### PRO-FLASHING

Thickness	20 mil.		
Length	75 ft.	75 ft.	75 ft.
Width	4 in.	6 in.	9 in.

### SEAM TAPE

Thickness	3 mil.	
Length	165 ft.	
Width	1-7/8 in.	

### FLEX FLASHING

Thickness	60 mil.	
Length	75 ft.	75 ft.
Width	6 in.	9 in.



HardieWrap®  
Weather Barrier

HardieWrap®  
Pro-Flashing

HardieWrap®  
Flex Flashing

HardieWrap®  
Seam Tape



To learn more about our weather barrier's advantages, visit [hardiewrap.com](http://hardiewrap.com)

## Finishing Touches

### ColorPlus Technology Accessories

#### TOUCH-UP KITS

Specially formulated to match ColorPlus Technology finishes, our Touch-up Kits offer resistance to aging, color change and chalking. Included in the kits, Touch-up Pens conceal nailheads and very small nicks and scratches.



#### COLOR-MATCHED CAULK

OSI® QUAD® MAX sealant offers a durable, lower maintenance sealant solution to color match James Hardie ColorPlus products.



### Trim Accessories

#### FLAT TABS

Reduce nail holes and improve the aesthetic of trim applications around windows, doors and band boards.

#### CORNER TABS

Use corner tabs to reduce the appearance of nail holes that would detract from the finished look of corner trim installations.



NEXT  
SECTION



Find useful job-site tips in our industry-leading Best Practices Guide. For the latest installation instructions, visit [hardieinstallation.com](https://www.hardieinstallation.com)



# Color Inspiration

Use deeper body colors for a warm, welcoming feeling. Make homes appear larger with soft contrasts between siding and trim. The right color combinations leave lasting impressions. Our color specialists designed the rich ColorPlus finish collection to help you express what's special about every home you build.



PREV SECTION

Khaki Brown

Cobble Stone


Timber Bark

SUBTLE BLENDS

## Cast your homes in **THE MOST ROMANTIC LIGHT.**



WARM TONES





COOL TONES


Evening Blue

Arctic White

Boothbay Blue



COMPLEMENTARY



● Plank, Panel, Batten and Shingle Colors

Trim and Soffit Colors

# Color Selection




ARCTIC WHITE




SAIL CLOTH



WOODLAND CREAM



HEATHERED MOSS



MOUNTAIN SAGE



NAVAJO BEIGE



SANDSTONE BEIGE



AUTUMN TAN



KHAKI BROWN




CHESTNUT BROWN




COBBLE STONE



MONTEREY TAUPE



WOODSTOCK BROWN



TIMBER BARK



COUNTRYLANE RED



PEARL GRAY



GRAY SLATE



AGED PEWTER




NIGHT GRAY




RICH ESPRESSO



LIGHT MIST



BOOTHBAY BLUE



EVENING BLUE



IRON GRAY



DEEP OCEAN

# Express the true nature of a home's character with **ColorPlus® Technology**

Explore our color palettes and differentiate your homes with stunning curb appeal. These distinctive tones are drawn from natural environments, complementing your design with the look of America's idyllic neighborhoods.




Colors may vary due to different monitor settings. Please see actual product sample for true color.



Selecting a color? Request a product sample at [jameshardie.com/samples](http://jameshardie.com/samples)



1.888.542.7343 | [jameshardie.com](http://jameshardie.com)

© 2015 James Hardie Building Products Inc. All Rights Reserved. TM, SM, and ® denote trademarks or registered trademarks of James Hardie Technology Limited. The , HZ5, HZ10 and ColorPlus Technology logos are registered trademarks of James Hardie Technology Limited. OSI and QUAD are registered symbols of Henkel Corporation. **HS15150 08/15**